

(1) On-the-ground behavioural change successes and remaining issues concerning schistosomiasis control and elimination in Cameroon

***Prof. Louis-Albert Tchuem Tchuente***

(2) Implementing ‘nudges’—a behavioural economics approach—for behavioural change concerning WASH for STHs and trachoma

***Mr Geordie Woods***

(3) Addressing the impact of behaviour on achieving NTD modeling targets: coverage and triple drug therapy for lymphatic filariasis

***Prof. Deirdre Hollingsworth***

(4) A framework for behaviour change and schistosomiasis: the impact of innovative approaches to health education in Ethiopia

***Ms. Michal Bruck***



## Treatment delivery

- **How do we reach men during MDA? Are there alternative drug delivery platforms that can be used?**
  - Bars, sporting events, etc.
- **How do you target children and increase drug uptake?**
  - Adding in marks for report cards to provide feedback to families

## Open defecation

- **How can we increase uptake of compostable defecation bags?**
  - Collection/deposit locations instead of a designated collector
  - Very colourful & attractive drop off containers
  - Signs placed at the Lake shore or open defecation sites asking 'Have you taken your bags?'
  - Convenient carrying implement
  - Peer comparisons showing which communities are using the bags & how many bags are in a drop off point
- **FEMALE GENITAL SCHISTOSOMIASIS?!?!?!?!?!?**